

LUPKYNIS is the first FDA-approved oral medication specifically for lupus nephritis. If you think LUPKYNIS

might be right for you, ask your doctor about it.

Then use this guide as a framework to help you get the answers you need—so you can feel confident discussing LUPKYNIS with your doctor.


The FDA (Food and Drug Administration):

- Approves drugs that are carefully tested
- Holds drugs to high standards of safety and efficacy

Preparing for your appointment

Your doctor is your partner. The more you let him or her know about your symptoms and questions, the more he or she can help.

- **Take notes** ahead of time and during your conversation
- **Ask your doctor** all your questions, and share any updates from your other doctors
- **Share all your symptoms**, even if they seem unrelated to your lupus nephritis, to help keep your doctor informed
- **Bring a list of all your medications**, as well as vitamins and supplements
- **Bring someone for support** if you can, because it's always good to have a second pair of eyes and ears



What is LUPKYNIS?


LUPKYNIS is a prescription medicine used with other medicines to treat adults with active lupus nephritis. LUPKYNIS should not be taken with a medicine called cyclophosphamide. Talk with your healthcare provider if you are not sure if you take this medicine.

Important Safety Information

LUPKYNIS can cause serious side effects, including:

- **Increased risk of cancer.** People who take LUPKYNIS have an increased risk of getting some kinds of cancer, including skin and lymph gland cancer (lymphoma). Limit and avoid exposure to sunlight and UV light such as tanning machines. Wear protective clothing and use a sunscreen.

Important Safety Information continues




For virtual visits:

- Test your internet connection ahead of time
- Download any necessary software
- Find a quiet, private space
- Have paper and a pen handy to take notes (so you're not swapping between screens)
- Ask questions early in the conversation so you're not rushed at the end

Q: Could LUPKYNIS help control my lupus nephritis?

- How does LUPKYNIS work?
- How is LUPKYNIS taken?
- What side effects should I look out for?



Q: How would starting LUPKYNIS change my treatment plan?

- Could this help lower my steroid dose?
- Should I keep taking my other medications?
- What about my vitamins and supplements?
- Are there other things I'll need to change (diet, exercise habits, etc)?

Important Safety Information (*continued*)


- **Increased risk of infection.** LUPKYNIS is a medicine that affects your immune system. LUPKYNIS can lower the ability of your immune system to fight infections. Serious infections can happen in people taking LUPKYNIS that can lead to hospitalizations and can cause death. **Call your healthcare provider right away** if you have symptoms of an infection such as fever, sweats or chills, cough or flu-like symptoms, muscle aches, or warm, red, or painful areas on your skin.

Important Safety Information continues

Q: If I take LUPKYNIS, what will my treatment goals be?

- How will I know that LUPKYNIS is working?
- How will we measure my progress?
- When will my next appointment be, and what will we be looking for?

Don't forget to
book your next
appointment today.



Q: Who should I contact for support?

- What type of support is there for people taking LUPKYNIS?
- What if I need help navigating insurance and funding options or staying on track with treatment?

For personalized support while taking LUPKYNIS, enroll with Aurinia Alliance and be connected with a dedicated Nurse Case Manager.

Support available in English and Spanish



Important Safety Information (*continued*)

Do not take LUPKYNIS with medicines known as strong CYP3A4 inhibitors such as ketoconazole, itraconazole, and clarithromycin, or if you are allergic to any of the ingredients in LUPKYNIS. You should not eat grapefruit or drink grapefruit juice while taking LUPKYNIS.

Important Safety Information continues

Important Safety Information (*continued*)

Before you use LUPKYNIS, tell your healthcare provider about all your medical conditions, including if you:

- Plan to receive any vaccines. You should not receive any live vaccines during treatment with LUPKYNIS. Other vaccines may not work as well during treatment with LUPKYNIS.
- Have or have had liver, kidney, or heart problems.
- Have high blood pressure.
- Are pregnant or plan to become pregnant or are breastfeeding or plan to breastfeed when taking LUPKYNIS. When taking LUPKYNIS in combination with mycophenolate mofetil, read the Medication Guide for mycophenolate mofetil for important pregnancy information. These medicines can harm your unborn or breastfed baby.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. LUPKYNIS may affect the way other medicines work, and other medicines may affect how LUPKYNIS works.

LUPKYNIS may cause serious side effects, including:

Kidney problems. Kidney problems are common side effects of LUPKYNIS and may be serious. Your healthcare provider may do certain tests to check your kidney function while you take LUPKYNIS.

High blood pressure. High blood pressure is a common side effect of

LUPKYNIS and may be serious. Your healthcare provider will monitor your blood pressure while you take LUPKYNIS and may ask you to check your blood pressure at home.

Nervous system problems. Nervous system problems are a common side effect of LUPKYNIS and may be serious. Call your healthcare provider or go to the nearest hospital emergency room right away if you have any of these symptoms while taking LUPKYNIS:

- confusion
- changes in alertness
- muscle tremors
- numbness and tingling
- headache
- seizures
- vision changes

High levels of potassium in your blood. Your healthcare provider may do certain tests to check your potassium levels while you take LUPKYNIS.

A serious heart rhythm problem (QT prolongation).

Severe low red blood cell count (anemia). Your healthcare provider may check your labs while using LUPKYNIS.

The most common side effects of LUPKYNIS are diarrhea, headache, cough, urinary tract infection, stomach pain, heartburn, and loss of hair (alopecia).

These are not all the possible side effects of LUPKYNIS. For more information, ask your healthcare provider. You may report side effects to FDA at **1-800-FDA-1088**. You may also report side effects to **www.fda.gov/medwatch**.

Please see Prescribing Information, including Boxed Warning, and Medication Guide for LUPKYNIS on this website.